



Product Catalogue



TARAGATE Ltd. RD2 Hamilton, New Zealand.

T: +64-7-843 3859 F: +64-7-843 3952

Email: info@taragate.co.nz

www.taragate.co.nz

Total Solution to Gateways

The original Taragate™ is an award winning multi strand electric gate. Invented and developed by kiwi dairy farmer Kerry Powell the original TARAGATE is a proven performer and the preferred choice for NZ farmers for over twenty years. Made of permanent materials, the Taragate™ is compatible with all electric fence systems with the multi strands operated by the one handle for ease of use. All plastic componentry is UV stabilised. There is a gate to suit all types of stock; 2 - strand for cattle and horses, 4 - strand for sheep and smaller animals.

Quick and easy to install, the Taragate™ comes in kit form with all componentry required to install except tape. This allows flexibility in the type of tape used as well as the ability to make up the gate to fit individual gateway widths. The Taragate™ is designed to maintain its tension over long spans, particularly the 2 strand, with the simple and durable polybow effective and maintenance free. The Taragate™ is designed to transfer any stress on to the springs (4 strand and 4 strand Lifestyler) and polybow (2 strand) or the tape. This protects the main body of the gate leaving it intact and permanent.

Taragate™ Multi Strand Electric Gate Systems

Features:

- Three standard models - 2 & 4 strand kits; 4 strand Lifestyler (this includes 25m of our own 20mm Taratape Gate tape)
- Tread in foot - for drafting, ease of use
- Universal powering system - takes all width of tapes or mesh
- Fibreglass Rod - for added strength
- Ring Circuit - Taragate™ - ensures full power through whole gate when a conductor is damaged
- Full spare parts back up




Taragate™ 2 Strand
TA001 Components



Taragate™ 4 Strand
TA002 Components

Taragate™ 4 Strand
'Lifestyler'
TA002 LS Components



Gate Handles



TA037 Taragate™ Heavy Duty 'Clip-Away' Handle

Features:

- The gold standard in gate handles
- Clips away onto the wire with unique second hook
- Less damage to handles
- Tape polywire remains 'live' - less damage
- Extra heavy duty



TA022 BudgetBreak Economy Gate Break Handle

Features:

- Replaceable Spring
- Robust design
- Highly visible in white
- Fully insulated and UV stabilised



TA085 Insul-Hook

Features:

- Insulated hook for quick attachment of portable power fences
- Features unique double hook option - additional smaller hook to snap securely onto fencewire

Gate Kits

All gate kits come with our unique TA037 Clip-Away handle and TA005 Heavy Duty Activator



TA036-5 Tarabungy Gate

Features:

- High Conductivity double skinned stretch shock cord
- Unique 'Taraconnect' spring connector device - supports and protects shock
- Best single strand option available
- Two sizes 5m (16") & 6m (19')



TA036-K Tarabungy Gate Kit

Features:


- Easy to install to fit any width gateway
- Use with Tarabungy high conductivity double skinned stretch shock cord (TA058)
- Complete with unique 'Taraconnect' spring connector device



TA007 Taratape Gate 20mm

Features:

- Single strand electric gate
- White 20mm (3/4") gate tape for high visibility and reduced windage
- Quality with economy 5m/16" gateway



TA077 Taratape Gate 40mm

Features:

- Single strand electric gate
- White 40mm (1 1/2") gate tape for high visibility
- 5m/16" gateway



TA017 Taratape Gate Kit 40mm

Features:

- Single strand electric gate
- Complete set of componentry to make a tape or braid gateway of any size




TA063-5W Taraspring Gate

Features:

- Single strand electric gate
- large 50mm white spring for high visibility
- 5m/16" gateway


Gate Accessories



TA005 Taravator Heavy Duty activator

Features:

- Extra strength purpose built activator
- Only activator with four point fixing
- Works horizontally or vertically
- Wide strong easy latching point for multi fixing
- Hard wearing S S contact point - won't short out
- Power connects between washers at base of bolt



TA066 Taraconnect Spring Connector System

Features:

- Unique connector system designed for use with our Tarabungy electrified stretch shock cord (TA058)
- Protects and supports electrical connection as its flexibility allows it to flex with the cord providing a strong connecting point



TA04190 Tarabuckle 40mm 90 degree

Features:

- For end connections for 40mm tape
- Fits directly to Wooden Post Pinlock insulator (TA011)



TA041 Tarabuckle 40mm Flat

Features:

- For end connections for 40mm tape
- Can be used as end buckle for Taragate™ Multi Strand Gate System (TA002) to attach 40mm tape to tension spring



TA006 Tarabuckle White 40mm

Features:

- UV stabilised non chafing light weight buckle
- Can be used as buckle for Taragate™ Multi Strand Gate System (TA002) to attach 40mm tape to gate handle end
- Can also be used as 40mm Tape Joiner



TA083 Tarabuckle 20mm Flat

Features:

- 20mm metal buckle for optional use with our TA026 Taratape Gate Tape 20mm
- Can also be used as 20mm Tape Joiner

TARAGATE

GATE RANGE



TA004 Tension Spring
Taragate™ 4 strand

Features:

- Replacement spring for Taragate™ Multi strand and Taragate Lifestyler Multi Strand gates TA002, TA002LS
- Pregalvanised spring wire



TA028 Tension Spring Budget Break

Features:

- Replacement spring for TA022 Budget Break
- Pregalvanised spring wire



TA079 SpringGate Spring

Features:

- Replacement spring for our TA063 - 5W Taraspring Gate

TARAGATE

INSULATORS

Taragate™ insulators offer quality without compromise. All Taragate™ insulators are manufactured from a high UV resistant compound and are designed to perform to today's high energy outputs. Many Taragate™ insulators feature extra long tracking distances and extra deep body to hold wire further off the post as well as a double shield system. Made to last.



TA090 Double D™ Hi-Wire
Wooden Post Claw Insulator

Features:

- Highest spec insulator available
- All new robust design, huge meaty claws
- Double Shield at post plus extra large protection plate behind the wire
- Greatest tracking distance, extra deep body stands wire further off post
- Suitable permanent applications



TA011 Tarapin
Wooden Post Pinlock Insulator

Features:


- Highest spec insulator available
- Robust design with heavy duty pin
- Suitable for permanent or semi-permanent applications
- Shield at post plus extra large protection plate behind the wire
- Greatest tracking distance, extra deep body stands wire further off the post



TA059 Taragate™ Space-Link
Shown here with Double D™ Hi-Wire W/P Insulator

Features:

- Innovative new 'outrigger' - takes your fence wire to new heights
- Easy fit, very stable and solid anchor
- Attaches directly to Double D™ or Tarapin Insulator
- Fits round or flat post
- Suitable wood or concrete post
- Cost effective superior insulation
- Available in duo packs 25 with Double D™ or Tarapin or Pkts 25



TA061 Tarasleeve
5mm x 120mm

Features:

- Suitable wooden or concrete post
- Economical



TA018 Taratube
5mm x 30m roll

Features:

- Economical and versatile



TA050 Taratac
Wooden Post Single Nail

Features:

- Claw type
- Easy to use
- Secure and robust
- Comes complete with nail



TA051 Tararod
Rod Insulator

Features:

- Quick fit - up to 15mm (5/8") rod
- Double Shield - long tracking distance
- Deep body - stands wire further off post
- Sleek open design - won't trap dirt or water
- Easy tightening - longer nut lugs with robust thread that won't strip
- Superior UV stabilised compound



TA044 High Strain End & Corner Insulator

Features:

- Made from UV resistant polycarbonate for extra strength to take high tensions
- Improved installation featuring longer tongue for perfect centering every time
- Suitable for long strains/permanent fence



TA032 Low Strain End & Corner Insulator

Features:

- Improved installation featuring longer tongue for perfect centering every time
- Suitable short strains/semi permanent



TA013 Tarastaple
Wooden Post

Features:


- Versatile staple insulator for simple electric fencing systems
- Heavy duty with wider and deeper construction than comparable products



TA067 Multi Purpose 20mm insulator

Features:

- Use with our TA026 20mm tape
- Use with heavy polybraids & rope
- Very versatile



TA120 40mm Tape Insulator

Features:

- Versatile W/P insulator
- Takes tape up to 40mm
- Takes rope or wire up to 8mm
- Secure snap lock fastening



TA119 Y Post Insulator

Features:

- Pinlock for steel Y Post
- Extra wide shield reduces power leakage



TA093 Insulator/Wedge for Tread Ins

Features:

- Nylon for strength and insulation
- Holds wire securely
- For use with our TA091, TA092 fibreglass tread-ins
- Fits 8.5mm and 9mm rod

Grid, strip or block grazing is a vital component in ensuring New Zealand farmers are the most efficient grassland farmers in the world. Portable fencing is central to subdividing paddocks quickly and easily. Taragate™ brings the best of accessories to this system and extends the range, thereby creating new solutions to old problems

Geared Reels and Reel Accessories

A reel is an essential requirement for setting up portable electric fences with ease and effectiveness. A geared reel enables this to be done with additional speed. The TARAGATE GEARED REEL has a genuine 3:1 ratio considered the benchmark for all Geared Reels. In keeping with our long history of creating products with points of difference, The TARAGATE GEARED REEL does just that. We have improved on this classic by adding several unique features. The TARAGATE GEARED REEL has a 5 year UV guarantee on plastics (applies to specific farm use only).

TA064 Geared Reel

Features:

- SPOOL – Strengthened spool moulded in a new & improved polymer = extra durability.
- GEARBOX – Genuine 3:1 ratio = speed.
- Designed for trouble free winding & long life.
- METAL PARTS – all coated in high quality Dacromet for long term protection
- CARRY HANDLE – non slip plastic fixed with nyloc nut for strength. Hook on carry handle shaped to make more secure when hanging on fence or Tarapost.
- WIRE GUIDE – Patented and attached to the front of the reel for extra strength and stability.
- CRANK HANDLE – extra long to ensure comfortable and easy winding



- METAL SPOOL LOCK – unique and robust spool lock will not fall forward when reeling out fence, gives the user total control
- INSULATED HOOK – unique new insulated double hook offers additional smaller hook to snap securely on to fence wire.
- Takes 500m (1640') polywire or 200m (656') polytape

- Prewound options:
 - TA064P - 500m (1640') polywire strand stainless steel conductors
 - TA064T - 200m (656') 12mm 6 strand stainless steel conductors



TA118 Wire Guide

Features:


- Optional replacement wire guide for Taragate Geared Reels
- Makes winding in of tapes braids & wires easy and tangle free



TA064SP Spool

Features:

- Spare part
- Replacement spool for Taragate Geared Reels



TA064GB Gearbox

Features:

- Spare part
- Replacement Gearbox for Taragate Geared Reels



TA034 Tarapost



Our unique free standing reel anchor simplifies grid grazing allowing unlimited options when subdividing paddocks

Features:

- High tensile steel shaft galvanised to last
- Very easy to tread in
- Dual purpose attachments for reel & insulhook
- Totally freestanding - no tieback needed
- Instantly attach/detach reels
- Save time - front and back fence simultaneously
- To create multi reel option simply purchase additional Reel Bracket TA035
- To create corners simply purchase Tarapost Corner End insulator TA084



TA035 Reel Bracket




TA084 Corner Post Insulator

Features:

- For use with our Tarapost (TA034)
- Heavy duty modified end insulator with wireform attachment
- Use to create corners and multi strands with Tarapost
- Provides versatility and options when setting up paddocks for grid grazing
- A temporary fencing solution

Portable Fence Posts



TA010 Pigtail Standard 970mm TA117 Pigtail Standard 1020mm

Features:

- Powder coated 6.5mm spring steel
- Extra heavy duty 9mm foot resists bending
- Streamlined design = less tangling
- Longer insulator with sealed end = safer use
- Available in two lengths
- Packs 10



TA116 Live Post

Features:

- Live shaft stops animals from pushing on pigtail
- Safer to handle – lower section not live
- Shaft made from strong 6.5mm spring steel
- Extra strong 9mm foot won't break
- Will not short out in long grass
- Extra insulator to carry second wire



TA091-TA092 Fibreglass Tread In Single / Triple

Features:

- Lightweight - less than half the weight of many pigtails
- Fully insulated
- Easy to carry / no tangling
- Strong secure foot firmly holds the ground
- Three options; single or multi or totally flexible, simply position insulator and foot on the rod to suit own requirements
- Height from foot: 100mm
- Rod diameter 8.5mm

TA089 Flo Post

Features:

- 1.2m white self insulated UV stabilised post
- Designed to flex and bend under pressure
- Will spring back to original position intact
- Easily driven with standard manual post driver
- Designed specifically for use with Taragate FLOOD FENCING SYSTEM



Tararod

Features:


- TA046 - 9mm x 1.0m - white
- TA047 - 9mm x 1.25m - white
- TA048 - 10mm x 1.2m - white
- TA046 - 10mm x 1.5m - white
- White fibreglass rod



TA104,TA105,TA106, & TA106A Plastic T Post Range

Features:

- Plastic T Post Range
- Line post for single or multi strand internal subdivision fence lines
- Self insulated – no shorts!
- Strong and durable will not rust or rot
- UV stabilised
- Flexibility with memory
- Pre drilled holes for quick & easy installation
- Easily driven with standard manual post driver
- Available in 5 lengths: 1.2m, 1.35m, 1.5m, 1.65m 1.8m
- 10 year limited warrantee
- Visit our website for demonstration video on this great range of T Posts



Tapes



TA023 Taratape 6

Features:

- 6 stainless steel strands
- 3940 ohms/km
- 12mm x 200m, 400m rolls



TA024 Taratape Plus

Features:

- Highly conductive woven tape
- Mixed metal, 6 stainless steel & 3 tinned copper strands
- 12mm x 200m, 400m rolls



TA026 Taratape Megagate

Features:

- 10 stainless steel strands
- 2430 ohms/km
- 20mm x 100m roll
- Recommended gate tape designed for use with our TA001 & TA002 TARAGATE MULTI STRAND ELECTRIC GATE SYSTEMS



TA030 Taratape Megahorse

Features:

- 15 stainless steel strands
- 1610 ohms/km
- 40mm x 100m roll

Braids, Wires



TA053 Tarawire 6

Features:

- 6 stainless steel strands
- 5000 ohms/km
- 200m & 500m rolls



TA109 Tarabraid 6

Features:

- Braided Wire
- 6 stainless steel strands
- 200m & 400m rolls



TA110 Tarabraid 9

Features:

- Braided Wire
- 9 stainless steel strands
- 200m & 400m rolls



TA111 Tarabraid Plus

Features:

- Highly conductive braided wire
- Mixed metal, 6 stainless steel & 3 tinned copper strands
- 200m & 400m rolls



TA021 Tarabraid Horserope

Features:

- Highly visible and highly conductive braided wire
- 7mm diameter mixed metal, 6 stainless steel & 3 tinned copper strands
- 200m rolls

Braids, Wires continued



TA058 Tarabungy Cord

Features:

- Double skinned high performance bungy cord
- Will not sag
- 6 stainless steel strands
- Stretch shock cord for gateways
- 3624 ohms/km
- 50m roll



TA068 Flo-Wire

Features:

- Highly conductive biodegradable polywire
- 4 tinned copper & 2 stainless steel wires
- Plastic is designed to break down once polywire is beyond its useful life
- Designed specifically for use with Taragate FLOOD FENCING SYSTEM

TARAGATE

ELECTRONICS RANGE



TA097 S150 Solar Energiser

Advanced technology solar energiser- easy to use and great for the busy Lifestyler or farmer

Features:

- Powered by 2.3 watt solar panel
- 7.2V Lithium ion battery backup
- Robust UV stabilised, waterproof case
- Stored energy 0.15J
- Works up to 3 KM
- Low power consumption – can work for more than 20 low-light days without charging
- Battery lasting time for one charge – 10 days
- Lightweight and easy to install



TA098 S200 Solar Energiser

Advanced SMD technology solar energiser with excellent efficiency, reliability and maximum output energy

Features:

- Powered by 5 watt solar panel
- 12V sealed lead acid battery back up
- Robust UV stabilised, waterproof case
- Stored energy 0.21J
- Works up to 7 KM
- Battery lasting time for one charge – 21 days
- Easy to use



TA121 Digital Voltmeter

Features:

- Economical voltmeter
- Easy to read LCD display
- Accurate readings up to 9.9 KV uses 9V battery
- Comes with protective pouch



TA043 Tarasub
Underground Cable

Features:


- Heavy duty double insulated polyethylene
- 1.6mm or 2.5mm
- 50m and 100m rolls



TA038 Taratite - Nylon
In line wire strainer

Features:

- Lightweight and cost effective
- Easy to use
- Made from ultra strong compound



TA103 Permanent Wire Strainer

Features:

- Secure wire clip catch
- Smooth ratchet action
- Easy to use even when upside down
- 15mm square drive



TA052 Taraclamp
Joint Clamp

Features:

- Provides strong electrical connections for good conductivity
- Cast with extra strong #5 alloy
- Secure fixing – quick & easy to use



TA088 J Clamp
Joint Clamp

Features:


- Provides strong electrical connections for good conductivity
- Electro galvanised steel – extra durability suits all sizes wire up to 4mm (3/16" – 8 gauge)



TA086 Cut Out Switch

Features:

- Easily isolate sections of electric fence with minimal disruption to farm
- Isolate faults or switch off section of fence for maintenance
- Stainless steel contacts for long life and high conductivity
- Easily sighted on/off position



TA073 - TA074 Outriggers

Features:

- Strong, visible, economical pigtail type
- Secures and stands hot wire off fence
- Protects fence and stock

TA071 - 150mm Steel Outrigger - Plain
TA072 - 150mm Steel Outrigger - Z
TA073 - 250mm Steel Outrigger - Plain
TA074 - 250mm Steel Outrigger - Z



TA112 Chain Strainer

Features:

- Smooth grip spring loaded wear resistant jaws
- Heavy duty rivets
- Extra long 2.1m chain complete with anchor hook provides better options
- Passivated plating for corrosion protection
- Complete with FREE Tension Guide to ensure even straining



TA114 Fence Pliers

Features:

- Chrome Vanadium steel
- Multi purpose: cuts wire, twists, pulls staples
- Hammer
- Insulated handles